

# Safety data sheet

Page: 1/15

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 05.10.2016

Version: 6.1

Product: **Wolmanit CX-8WB**

(ID no. 30486282/SDS\_GEN\_GB/EN)

Date of print 17.01.2017

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

## Wolmanit CX-8WB

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: wood preservative

Recommended use: wood preservative, for industrial and professional users

### 1.3. Details of the supplier of the safety data sheet

Company:

BASF Wolman GmbH  
Dr.-Wolman-Str. 31-33  
76547 Sinzheim, Germany

Contact address:

BASF plc  
PO Box 4, Earl Road, Cheadle Hulme,  
Cheadle, Cheshire  
SK8 6QG, UNITED KINGDOM

---

Telephone: +44 161 485-6222

E-mail address: [product-safety-north@basf.com](mailto:product-safety-north@basf.com)

### 1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

---

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (Inhalation - mist)  
Acute Tox. 4 (oral)  
Skin Corr./Irrit. 1B  
Eye Dam./Irrit. 1  
Repr. 2 (unborn child)  
STOT SE 3 (irritating to respiratory system)  
Aquatic Acute 1  
Aquatic Chronic 2

H314, H332, H302, H335, H361d, H400, H411

For the classifications not written out in full in this section the full text can be found in section 16.

## 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:

Danger

Hazard Statement:

H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements (Response):

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 05.10.2016

Version: 6.1

Product: **Wolmanit CX-8WB**

(ID no. 30486282/SDS\_GEN\_GB/EN)

Date of print 17.01.2017

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
 P312 Call a POISON CENTER or doctor/physician if you feel unwell.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.  
 Rinse skin with water/shower.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove  
 contact lenses, if present and easy to do. Continue rinsing.  
 P308 + P313 IF exposed or concerned: Get medical advice/attention.  
 P391 Collect spillage.

Precautionary Statements (Storage):

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection  
 point.

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: complexing agent based on ethanolamine and  
 carboxylic acids (confidential), copper(II) carbonate--copper(II) hydroxide(1:1), Bis-(N-  
 cyclohexyldiazoniumdioxo)-copper

### 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in  
 classification but which may contribute to the overall hazards of the substance or mixture.

---

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Chemical nature

Liquid wood preservative, based on: Copper compound

dissolved in: complexing agent based on ethanolamine and carboxylic acids (confidential)

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

copper(II) carbonate--copper(II) hydroxide(1:1)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 05.10.2016

Version: 6.1

Product: **Wolmanit CX-8WB**

(ID no. 30486282/SDS\_GEN\_GB/EN)

Date of print 17.01.2017

Content (W/W): 13.04 %	Acute Tox. 4 (Inhalation - dust)
CAS Number: 12069-69-1	Acute Tox. 4 (oral)
EC-Number: 235-113-6	Aquatic Acute 1
REACH registration number: 01-2119429040-56	Aquatic Chronic 1
	H332, H302, H400, H410

Bis-(N-cyclohexyldiazoniumdioxy)-copper

Content (W/W): 2.8 %	Flam. Sol. 1
CAS Number: 312600-89-8	Acute Tox. 4 (oral)
	Eye Dam./Irrit. 1
	STOT RE 2
	Aquatic Acute 1
	Aquatic Chronic 1
	H228, H318, H302, H373, H400, H410

complexing agent based on ethanolamine and carboxylic acids (confidential)

Content (W/W): >= 20 % - <= 50 %	Acute Tox. 4 (Inhalation - vapour)
	Acute Tox. 4 (oral)
	Skin Corr./Irrit. 1B
	Repr. 2 (unborn child)
	H314, H332, H302, H361d

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

---

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

**4.2. Most important symptoms and effects, both acute and delayed**

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

**SECTION 5: Fire-Fighting Measures****5.1. Extinguishing media**

Suitable extinguishing media:

foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

**5.2. Special hazards arising from the substance or mixture**

Carbon dioxide, carbon monoxide, nitrogen oxides, fumes/smoke, carbon black, corrosive gases/vapours

**5.3. Advice for fire-fighters**

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

**SECTION 6: Accidental Release Measures****6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Do not breathe vapour/aerosol/spray mists. Handle in accordance with good industrial hygiene and safety practice.

**6.2. Environmental precautions**

Contain contaminated water/firefighting water. Do not allow to enter soil, waterways or waste water channels.

**6.3. Methods and material for containment and cleaning up**

For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.

For large amounts: Pump off product.

**6.4. Reference to other sections**

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

Avoid contact with the skin, eyes and clothing. Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws. Ensure thorough ventilation of stores and work areas.

Protection against fire and explosion:

No special precautions necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE)

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight. Store protected against freezing.

Frost sensitive

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

#### Components with occupational exposure limits

141-43-5: 2-aminoethanol; ethanolamine

TWA value 2.5 mg/m<sup>3</sup> ; 1 ppm (WEL/EH 40 (UK))

STEL value 7.6 mg/m<sup>3</sup> ; 3 ppm (WEL/EH 40 (UK))

TWA value 2.5 mg/m<sup>3</sup> ; 1 ppm (OEL (EU))

indicative

STEL value 7.6 mg/m<sup>3</sup> ; 3 ppm (OEL (EU))

indicative

Skin Designation (OEL (EU))

The substance can be absorbed through the skin.

Skin Designation (WEL/EH 40 (UK))

The substance can be absorbed through the skin.

### 8.2. Exposure controls

#### Personal protective equipment

**Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

**Hand protection:**

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types.

**Eye protection:**

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

**Body protection:**

Body protection must be chosen based on level of activity and exposure.

**General safety and hygiene measures**

Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

**Environmental exposure controls**

For information regarding environmental exposure controls, see Section 6.

---

**SECTION 9: Physical and Chemical Properties****9.1. Information on basic physical and chemical properties**

Form:	liquid
Colour:	blue
Odour:	faint specific odour
Odour threshold:	No applicable information available.
pH value:	approx. 9.6 (20 g/kg)
Melting temperature:	The product has not been tested.
boiling temperature:	> 100 °C
Flash point:	> 100 °C
Flammability:	not flammable
Flammability of Aerosol Products:	not applicable, the product does not form flammable aerosoles
Lower explosion limit:	dropped
Vapour pressure:	not applicable

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 05.10.2016

Version: 6.1

Product: **Wolmanit CX-8WB**

(ID no. 30486282/SDS\_GEN\_GB/EN)

Date of print 17.01.2017

Density: approx. 1.2 g/cm<sup>3</sup>  
(20 °C)  
Thermal decomposition: > 250 °C  
Viscosity, dynamic: approx. 30 mPa.s  
(20 °C)  
Explosion hazard: not explosive

## 9.2. Other information

Miscibility with water:  
(20 °C)  
miscible in all proportions

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

### 10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

### 10.5. Incompatible materials

Substances to avoid:  
strong oxidizing agents, strong reducing agents

### 10.6. Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## SECTION 11: Toxicological Information

### 11.1. Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:  
Harmful by inhalation.

Experimental/calculated data:



LD50 rat (oral): approx. 500 mg/kg (OECD Guideline 401)

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

#### Irritation

Experimental/calculated data:

Skin corrosion/irritation rabbit: Corrosive. (OECD Guideline 404)

Serious eye damage/irritation rabbit: Risk of serious damage to eyes. (OECD Guideline 405)

#### Respiratory/Skin sensitization

Assessment of sensitization:

Based on available Data, the classification criteria are not met.

Experimental/calculated data:

Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

#### Germ cell mutagenicity

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Developmental toxicity

Assessment of teratogenicity:

Possible risk of harm to the unborn child.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

**Assessment of repeated dose toxicity:**

No reliable data was available concerning repeated dose toxicity. Based on available Data, the classification criteria are not met.

**Aspiration hazard**

No aspiration hazard expected.

**Other relevant toxicity information**

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

---

**SECTION 12: Ecological Information****12.1. Toxicity****Toxicity to fish:**

LC50 (96 h) <= 1 mg/l, Brachydanio rerio (OECD Guideline 203, static)

**Aquatic invertebrates:**

LC50 (48 h) < 1 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

**Aquatic plants:**

EC50 (72 h) < 1 mg/l, Selenastrum capricornutum (OECD Guideline 201)

**Microorganisms/Effect on activated sludge:**

EC50 (3 h) approx. 50 mg/l, activated sludge (OECD Guideline 209)

**12.2. Persistence and degradability****Assessment biodegradation and elimination (H<sub>2</sub>O):**

Moderately/partially biodegradable. The ingredients based on copper can be virtually eliminated from water by abiotic processes e.g. adsorption onto activated sludge.

**12.3. Bioaccumulative potential****Assessment bioaccumulation potential:**

Accumulation in organisms is not to be expected.

**12.4. Mobility in soil****Assessment transport between environmental compartments:**

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

**12.5. Results of PBT and vPvB assessment**

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

### 12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### 12.7. Additional information

Other ecotoxicological advice:

The product should not be allowed to reach either sewage waters or water purification plants. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

---

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

This material and its container must be disposed of in a safe way.  
Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

---

## SECTION 14: Transport Information

### Land transport

ADR

UN number	UN1760
UN proper shipping name:	CORROSIVE LIQUID, N.O.S. (contains ALKYLAMINE, COPPER CARBONATE)
Transport hazard class(es):	8, EHSM
Packing group:	II
Environmental hazards:	yes
Special precautions for	Tunnel code: E

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 05.10.2016

Version: 6.1

Product: **Wolmanit CX-8WB**

(ID no. 30486282/SDS\_GEN\_GB/EN)

Date of print 17.01.2017

---

user:

RID

UN number UN1760  
UN proper shipping name: CORROSIVE LIQUID, N.O.S. (contains ALKYLAMINE, COPPER CARBONATE)  
Transport hazard class(es): 8, EHS  
Packing group: II  
Environmental hazards: yes  
Special precautions for user: None known

**Inland waterway transport**

ADN

UN number UN1760  
UN proper shipping name: CORROSIVE LIQUID, N.O.S. (contains ALKYLAMINE, COPPER CARBONATE)  
Transport hazard class(es): 8, EHS  
Packing group: II  
Environmental hazards: yes  
Special precautions for user: None known

**Transport in inland waterway vessel**

Not evaluated

**Sea transport**

IMDG

UN number: UN 1760  
UN proper shipping name: CORROSIVE LIQUID, N.O.S. (contains ALKYLAMINE, COPPER CARBONATE)  
Transport hazard class(es): 8, EHS  
Packing group: II  
Environmental hazards: yes  
Marine pollutant: YES  
Special precautions for user: None known

**Air transport**

IATA/ICAO

UN number: UN 1760

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 05.10.2016

Version: 6.1

Product: **Wolmanit CX-8WB**

(ID no. 30486282/SDS\_GEN\_GB/EN)

Date of print 17.01.2017

UN proper shipping name: CORROSIVE LIQUID, N.O.S. (contains ALKYLAMINE, COPPER CARBONATE)  
Transport hazard class(es): 8  
Packing group: II  
Environmental hazards: No Mark as dangerous for the environment is needed  
Special precautions for user: None known

#### **14.1. UN number**

See corresponding entries for "UN number" for the respective regulations in the tables above.

#### **14.2. UN proper shipping name**

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### **14.3. Transport hazard class(es)**

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### **14.4. Packing group**

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### **14.5. Environmental hazards**

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### **14.6. Special precautions for user**

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### **14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

Regulation: Not evaluated  
Shipment approved: Not evaluated  
Pollution name: Not evaluated  
Pollution category: Not evaluated  
Ship Type: Not evaluated

#### **Further information**

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

---

## **SECTION 15: Regulatory Information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Biocidal Products Regulation 528/2012/EU

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

## 15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

---

## SECTION 16: Other Information

In addition to the information given in the safety data sheet we refer to the product specific 'Technical Information'.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Repr.	Reproductive toxicity
STOT SE	Specific target organ toxicity — single exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Flam. Sol.	Flammable solids
STOT RE	Specific target organ toxicity — repeated exposure
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H410	Very toxic to aquatic life with long lasting effects.
H228	Flammable solid.
H318	Causes serious eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.

If you have any queries relating to this MSDS, its contents or any other product safety related questions, please write to the following e-mail address: [product-safety-north@basf.com](mailto:product-safety-north@basf.com)

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 05.10.2016

Version: 6.1

Product: **Wolmanit CX-8WB**

(ID no. 30486282/SDS\_GEN\_GB/EN)

Date of print 17.01.2017

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.